



Must be used under medical supervision



ESSENTIAL AMINO ACID

An unflavored, powdered mixture of essential amino acids, including cystine and histidine.

Indication: Urea Cycle Disorders

Suitable for individuals over 1 year of age.

Nutrition Information:

| Nutrients | Per 100 g of powder |
|-----------------------|---------------------|
| Calories | 316 |
| Protein Equivalent, g | 79 |
| Fat, g | 0 |
| Carbohydrate, g | 0 |
| Amino Acids, g | |
| L-Cystine | 3.78 |
| L-Histidine | 3.78 |
| L-Isoleucine | 10.4 |
| L-Leucine | 16.17 |
| L-Lysine | 13.25 |
| L-Methionine | 3.78 |
| L-Phenylalanine | 5.67 |
| L-Threonine | 11.35 |
| L-Tryptophan | 2.36 |
| L-Tyrosine | 9.46 |
| L-Valine | 14.56 |

Ordering/Reimbursement Information for Essential Amino Acid Mix:

| Product Code | Reimbursement Code | HCPCS Code* | Product Packaging | Calories Per Can |
|--------------|--------------------|-------------|-------------------|------------------|
| 53342 | 49735-0133-42 | B4155 | 6 x 200 g (7 oz) | 632 |

* S9435 = For individuals who submit their bills to insurance on their own.

Ingredients:

L-Lysine Acetate, L-Leucine, L-Valine, L-Threonine, L-Isoleucine, L-Tyrosine, L-Phenylalanine, L-Histidine, L-Cystine, L-Methionine, L-Tryptophan.

Mixing Instructions:

1. Simply add recommended amount of powder to desired volume of cold water, fruit juice, or other chilled protein-free drink. Can also be added to foods low in protein like applesauce. Powder should be weighed with a gram scale.
2. Cover with a tight fitting lid (for liquids) and shake or stir until fully blended.
3. Enjoy immediately or store formula in a refrigerator for no more than 24 hours from time of preparation. Stir or shake immediately before serving.

Storage:

Store in a cool, dry place. Once opened, use contents within one month. Replace lid securely after use.

Important Notice:

Must only be used under medical supervision. For oral and tube feeding. Not for parenteral use. Not intended for children under one year of age. Not suitable as a sole source of nutrition. For the dietary management of urea cycle disorders and conditions in which a nutritionally complete feed is not suitable or a modular approach is required.